

CHAPTER 72
IRON AND STEEL

Notes.

1. In this Chapter and, in the case of Notes (d), (e) and (f) throughout the Nomenclature, the following expressions have the meanings hereby assigned to them:

(a) Pig iron

Iron-carbon alloys not usefully malleable, containing more than 2% by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10% of chromium
- not more than 6% of manganese
- not more than 3% of phosphorus
- not more than 8% of silicon
- a total of not more than 10% of other elements.

(b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6% but not more than 30% of manganese and otherwise conforming to the specification at (a) above.

(c) Ferro-alloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4% or more of the element iron and one or more of the following:

- more than 10% of chromium
- more than 30% of manganese
- more than 3% of phosphorus
- more than 8% of silicon
- a total of more than 10% of other elements, excluding carbon, subject to a maximum content of 10% in the case of copper.

(d) Steel

Ferrous materials other than those of heading 72.03 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2% or less of carbon. However, chromium steels may contain higher proportions of carbon.

- (e) **Stainless steel**
Alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements.
- (f) **Other alloy steel**
Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:
- 0.3% or more of aluminium
 - 0.0008% or more of boron
 - 0.3% or more of chromium
 - 0.3% or more of cobalt
 - 0.4% or more of copper
 - 0.4% or more of lead
 - 1.65% or more of manganese
 - 0.08% or more of molybdenum
 - 0.3% or more of nickel
 - 0.06% or more of niobium
 - 0.6% or more of silicon
 - 0.05% or more of titanium
 - 0.3% or more of tungsten (wolfram)
 - 0.1% or more of vanadium
 - 0.05% or more of zirconium
 - 0.1% or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.
- (g) **Remelting scrap ingots of iron or steel**
Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys.
- (h) **Granules**
Products of which less than 90% by weight passes through a sieve with a mesh aperture of 1 mm and of which 90% or more by weight passes through a sieve with a mesh aperture of 5 mm.
- (i) **Semi-finished products**
Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and
Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.
These products are not presented in coils.

- (j) Flat-rolled products
Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of:
- coils of successively superimposed layers, or
 - straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.
- Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.
- Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.
- (k) Bars and rods, hot-rolled, in irregularly wound coils
Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).
- (l) Other bars and rods
Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:
- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
 - be twisted after rolling.
- (m) Angles, shapes and sections
Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.
Chapter 72 does not include products of heading 73.01 or 73.02.
- (n) Wire

Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

- (o) Hollow drill bars and rods
Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 73.04.
- 2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
- 3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

Subheading Notes.

- 1. In this Chapter the following expressions have the meanings hereby assigned to them:
 - (a) Alloy pig iron
Pig iron containing, by weight, one or more of the following elements in the specified proportions:
 - more than 0.2% of chromium
 - more than 0.3% of copper
 - more than 0.3% of nickel
 - more than 0.1% of any of the following elements: aluminium, molybdenum, titanium, tungsten (wolfram), vanadium.
 - (b) Non-alloy free-cutting steel
Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions:
 - 0.08% or more of sulphur
 - 0.1% or more of lead
 - more than 0.05% of selenium
 - more than 0.01% of tellurium
 - more than 0.05% of bismuth.
 - (c) Silicon-electrical steel

Alloy steels containing by weight at least 0.6% but not more than 6% of silicon and not more than 0.08% of carbon. They may also contain by weight not more than 1% of aluminium but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7% or more, 0.6% or more of carbon and 3 to 6% of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight:

- not more than 0.7% of carbon,
- 0.5% or more but not more than 1.9% of manganese, and
- 0.6% or more but not more than 2.3% of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.

2. For the classification of ferro-alloys in the subheadings of heading 72.02 the following rule should be observed:

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note 1(c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule the unspecified "other elements" referred to in Chapter Note 1(c) must each exceed 10% by weight.

HS	CET	PR1	DESCRIPTION OF GOODS	DUTY RATE	UNIT	SITC REV 4
			I - PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM			
72.01			Pig iron and spiegeleisen in pigs, blocks or other primary forms.			
7201.10	00		- Non-alloy pig iron containing by weight 0.5% or less of phosphorous	Free	kg	671.21
7201.20	00		- Non-alloy pig iron containing by weight more than 0.5% of phosphorous	Free	kg	671.22
7201.50	00		- Alloy pig iron, spiegeleisen:			
7201.50	10		- - - Alloy pig iron	Free	kg	671.231
7201.50	20		- - - Spiegeleisen	Free	kg	671.232
72.02			Ferro-alloys.			
7202.10	00		- Ferro-manganese:			
7202.11	00		- - Containing by weight more than 2% of carbon	5%	kg	671.41
7202.19	00		- - Other	5%	kg	671.49
7202.20	00		- Ferro-silicon:			
7202.21	00		- - Containing by weight more than 55% of silicon	5%	kg	671.511
7202.29	00		- - Other	5%	kg	671.519
7202.30	00		- Ferro-silico-manganese	5%	kg	671.52
7202.40	00		- Ferro-chromium:			
7202.41	00		- - Containing by weight more than 4% of carbon	5%	kg	671.531
7202.49	00		- - Other	5%	kg	671.532
7202.50	00		- Ferro-silico-chromium	5%	kg	671.54
7202.60	00		- Ferro-nickel	5%	kg	671.55
7202.70	00		- Ferro-molybdenum	5%	kg	671.591
7202.80	00		- Ferro-tungsten and ferro-silico-tungsten	5%	kg	671.592
7202.90	00		- Other:			
7202.91	00		- - Ferro-titanium and ferro-silico-titanium	5%	kg	671.593
7202.92	00		- - Ferro-vanadium	5%	kg	671.594
7202.93	00		- - Ferro-niobium	5%	kg	671.595
7202.99	00		- - Other	5%	kg	671.599
72.03			Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94%, in lumps, pellets or similar forms.			
7203.10	00		- Ferrous products obtained by direct reduction of iron ore	10%	kg	671.331
7203.90	00		- Other	5%	kg	671.339

HS	CET	PR1	DESCRIPTION OF GOODS	DUTY RATE	UNIT	SITC REV 4
72.04			Ferrous waste and scrap; remelting scrap ingots of iron or steel.			
7204.10	00		- Waste and scrap of cast iron	5%	kg	282.1
7204.20	00		- Waste and scrap of alloy steel:			
7204.21	00		- - Of stainless steel	5%	kg	282.21
7204.29	00		- - Other	5%	kg	282.29
7204.30	00		- Waste and scrap of tinned iron or steel	5%	kg	282.31
7204.40	00		- Other waste and scrap:			
7204.41	00		- - Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles	5%	kg	282.32
7204.49	00		- - Other	5%	kg	282.39
7204.50	00		- Remelting scrap ingots	5%	kg	282.33
72.05			Granules and powders, of pig iron, spiegeleisen, iron or steel.			
7205.10	00		- Granules	5%	kg	671.31
7205.20	00		- Powders:			
7205.21	00		- - Of alloy steel	5%	kg	671.321
7205.29	00		- - Other	5%	kg	671.329
			II - IRON AND NON-ALLOY STEEL			
72.06			Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03).			
7206.10	00		- Ingots:			
7206.10	10		- - - Of iron	5%	kg	672.411
7206.10	20		- - - Of non-alloy steel	5%	kg	672.412
7206.90	00		- Other:			
7206.90	10		- - - Of iron	5%	kg	672.451
7206.90	90		- - - Of non-alloy steel	5%	kg	672.459
72.07			Semi-finished products of iron or non-alloy steel.			
7207.10	00		- Containing by weight less than 0.25% of carbon:			
7207.11	00		- - Of rectangular (including square) cross-section, the width measuring less than twice the thickness:			
7207.11	10		- - - Blooms and billets, of non-alloy steel	10%	kg	672.611
7207.11	90		- - - Other	5%	kg	672.619
7207.12	00		- - Other, of rectangular (other than square) cross-section:			

HS	CET	PR1	DESCRIPTION OF GOODS	DUTY RATE	UNIT	SITC REV 4
7207.12	10		- - - Blooms and billets, of non-alloy steel	10%	kg	672.621
7207.12	90		- - - Other	5%	kg	672.629
7207.19	00		- Other:			
7207.19	10		- - - Blooms and billets, of non-alloy steel	10%	kg	672.691
7207.19	90		- - - Other	5%	kg	672.699
7207.20	00		- Containing by weight 0.25% or more of carbon:			
7207.20	10		- - - Blooms and billets, of non-alloy steel	10%	kg	672.71
7207.20	90		- - - Other	5%	kg	672.79
72.08			Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated.			
7208.10	00		- In coils, not further worked than hot-rolled, with patterns in relief:			
7208.10	10		- - - Of a thickness of less than 3 mm	5%	kg	673.11
7208.10	90		- - - Other	5%	kg	673.21
7208.20	00		- Other, in coils, not further worked than hot-rolled, pickled:			
7208.25	00		- - Of a thickness of 4.75 mm or more	5%	kg	673.31
7208.26	00		- - Of a thickness of 3 mm or more but less than 4.75 mm	5%	kg	673.41
7208.27	00		- - Of a thickness of less than 3 mm	5%	kg	673.51
7208.30	00		- Other, in coils, not further worked than hot-rolled:			
7208.36	00		- - Of a thickness exceeding 10 mm	5%	kg	673.61
7208.37	00		- - Of a thickness of 4.75 mm or more but not exceeding 10 mm	5%	kg	673.62
7208.38	00		- - Of a thickness of 3 mm or more but less than 4.75 mm	5%	kg	673.63
7208.39	00		- - Of a thickness of less than 3 mm	5%	kg	673.64
7208.40	00		- Not in coils, not further worked than hot-rolled, with patterns in relief:			
7208.40	10		- - - Of a thickness of less than 3 mm	5%	kg	673.65
7208.40	90		- - - Other	5%	kg	673.69
7208.50	00		- Other, not in coils, not further worked than hot-rolled :			
7208.51	00		- - Of a thickness exceeding 10 mm	5%	kg	673.71
7208.52	00		- - Of a thickness of 4.75 mm or more but not exceeding 10 mm	5%	kg	673.72

HS	CET	PR1	DESCRIPTION OF GOODS	DUTY RATE	UNIT	SITC REV 4
7208.53	00		- - Of a thickness of 3 mm or more but less than 4.75 mm	5%	kg	673.73
7208.54	00		- - Of a thickness of less than 3 mm	5%	kg	673.74
7208.90	00		- Other:			
7208.90	10		- - - Of a thickness of less than 3 mm	5%	kg	673.511
7208.90	90		- - - Other	5%	kg	673.519
72.09			Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated.			
7209.10	00		- In coils, not further worked than cold-rolled (cold-reduced):			
7209.15	00		- - Of a thickness of 3mm or more	5%	kg	673.75
7209.16	00		- - Of a thickness exceeding 1 mm but less than 3 mm	5%	kg	673.76
7209.17	00		- - Of a thickness of 0.5 mm or more but not exceeding 1 mm	5%	kg	673.77
7209.18	00		- - Of a thickness of less than 0.5 mm	5%	kg	673.78
7209.20	00		- Not in coils, not further worked than cold-rolled (cold reduced):			
7209.25	00		- - Of a thickness of 3 mm or more	5%	kg	673.85
7209.26	00		- - Of a thickness exceeding 1 mm but less than 3 mm	5%	kg	673.86
7209.27	00		- - Of a thickness of 0.5 mm or more but not exceeding 1 mm	5%	kg	673.87
7209.28	00		- - Of a thickness of less than 0.5 mm	5%	kg	673.88
7209.90	00		- Other:			
7209.90	10		- - - Of a thickness of less than 3 mm	5%	kg	673.521
7209.90	90		- - - Other	5%	kg	673.529
72.10			Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated.			
7210.10	00		- Plated or coated with tin:			
7210.11	00		- - Of a thickness of 0.5 mm or more	5%	kg	674.211
7210.12	00		- - Of a thickness of less than 0.5 mm	5%	kg	674.212
7210.20	00		- Plated or coated with lead, including terne-plate	5%	kg	674.41
7210.30	00		- Electrolytically plated or coated with zinc:			
7210.30	10		- - - Of a thickness of less than 3 mm, corrugated	5%	kg	674.111
7210.30	20		- - - Of a thickness of less than 3 mm, other	5%	kg	674.112
7210.30	90		- - - Other	5%	kg	674.119
7210.40	00		- Otherwise plated or coated with zinc:			

HS	CET	PR1	DESCRIPTION OF GOODS	DUTY RATE	UNIT	SITC REV 4
7210.41	00		- - Corrugated:			
7210.41	10		- - - Of a thickness of less than 3 mm	15%	kg	674.131
7210.41	90		- - - Other	5%	kg	674.132
7210.49	00		- - Other:			
7210.49	10		- - - Of a thickness of less than 3 mm	5%	kg	674.133
7210.49	90		- - - Other	5%	kg	674.139
7210.50	00		- Plated or coated with chromium oxides or with chromium and chromium oxides	5%	kg	674.42
7210.60	00		- Plated or coated with aluminium:			
7210.61	00		- - Plated or coated with aluminium-zinc alloys:			
7210.61	10		- - - Of a thickness of less than 3 mm, corrugated	15%	kg	674.431
7210.61	20		- - - Of a thickness of less than 3 mm, other	5%	kg	674.432
7210.61	90		- - - Other	5%	kg	674.433
7210.69	00		- - Other	5%	kg	674.439
7210.70	00		- Painted, varnished or coated with plastics:			
7210.70	10		- - - Of a thickness of less than 3 mm, corrugated	15%	kg	674.311
7210.70	20		- - - Of a thickness of less than 3 mm, other	5%	kg	674.312
7210.70	90		- - - Other	5%	kg	674.319
7210.90	00		- Other:			
7210.90	10		- - - Of a thickness of less than 3 mm, corrugated	15%	kg	674.441
7210.90	20		- - - Of a thickness of less than 3 mm, other	5%	kg	674.442
7210.90	90		- - - Other	5%	kg	674.449
72.11			Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated.			
7211.10	00		- Not further worked than hot-rolled:			
7211.13	00		- - Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	5%	kg	673.91
7211.14	00		- - Other, of a thickness of 4.75 mm or more	5%	kg	673.92
7211.19	00		- - Other:			
7211.19	10		- - - Of a thickness of less than 3 mm	5%	kg	673.93

HS	CET	PR1	DESCRIPTION OF GOODS	DUTY RATE	UNIT	SITC REV 4
7211.19	90		- - - Other	5%	kg	673.94
7211.20	00		- Not further worked than cold-rolled (cold-reduced):			
7211.23	00		- - Containing by weight less than 0.25% of carbon:			
7211.23	10		- - - Of a thickness of less than 3 mm	5%	kg	673.95
7211.23	90		- - - Other	5%	kg	673.96
7211.29	00		- - Other:			
7211.29	10		- - - Of a thickness of less than 3 mm	5%	kg	673.97
7211.29	90		- - - Other	5%	kg	673.99
7211.90	00		- Other:			
7211.90	10		- - - Of a thickness of less than 3 mm	5%	kg	673.531
7211.90	90		- - - Other	5%	kg	673.539
72.12			Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated.			
7212.10	00		- Plated or coated with tin	5%	kg	674.22
7212.20	00		- Electrolytically plated or coated with zinc:			
7212.20	10		- - - Of a thickness of less than 3 mm, corrugated	15%	kg	674.121
7212.20	20		- - - Of a thickness of less than 3 mm, other	5%	kg	674.122
7212.20	90		- - - Other	5%	kg	674.129
7212.30	00		- Otherwise plated or coated with zinc:			
7212.30	10		- - - Of a thickness of less than 3 mm, corrugated	15%	kg	674.141
7212.30	20		- - - Of a thickness of less than 3 mm, other	5%	kg	674.142
7212.30	90		- - - Other	5%	kg	674.149
7212.40	00		- Painted, varnished or coated with plastics:			
7212.40	10		- - - Of a thickness of less than 3 mm, corrugated	15%	kg	674.321
7212.40	20		- - - Of a thickness of less than 3 mm, other	5%	kg	674.322
7212.40	90		- - - Other	5%	kg	674.329
7212.50	00		- Otherwise plated or coated:			
7212.50	10		- - - Of a thickness of less than 3 mm, corrugated	15%	kg	674.511
7212.50	20		- - - Of a thickness of less than 3 mm, other	5%	kg	674.512
7212.50	90		- - - Other	5%	kg	674.519

HS	CET	PR1	DESCRIPTION OF GOODS	DUTY RATE	UNIT	SITC REV 4
7212.60	00		- Clad:			
7212.60	10		- - - Of a thickness of less than 3 mm, corrugated	15%	kg	674.521
7212.60	20		- - - Of a thickness of less than 3 mm, other	5%	kg	674.522
7212.60	90		- - - Other	5%	kg	674.529
72.13			Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel.			
7213.10	00		- Containing indentations, ribs, grooves or other deformations produced during the rolling process:			
7213.10	10		- - - Of iron	5%	kg	676.211
7213.10	90		- - - Of non-alloy steel	10%	kg	676.219
7213.20	00		- Other, of free-cutting steel	10%	kg	676.22
7213.90	00		- Other:			
7213.91	00		- - Of circular cross-section measuring less than 14 mm in diameter:			
7213.91	10		- - - Of iron	5%	kg	676.131
7213.91	90		- - - Of non-alloy steel	10%	kg	676.139
7213.99	00		- - Other:			
7213.99	10		- - - Of iron	5%	kg	676.24
7213.99	90		- - - Of non-alloy steel	10%	kg	676.252
72.14			Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling.			
7214.10	00		- Forged:			
7214.10	10		- - - Of iron	5%	kg	676.26
7214.10	20		- - - Of non-alloy steel	5%	kg	676.27
7214.20	00		- Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling:			
7214.20	10		- - - Of iron	5%	kg	676.281
7214.20	90		- - - Of non-alloy steel	10%	kg	676.282
7214.30	00		- Other, of free-cutting steel	10%	kg	676.283
7214.90	00		- Other:			

HS	CET	PR1	DESCRIPTION OF GOODS	DUTY RATE	UNIT	SITC REV 4
7214.91	00		- - Of rectangular (other than square) cross-section:			
7214.91	10		- - - Of iron	5%	kg	676.231
7214.91	90		- - - Of non-alloy steel	10%	kg	676.239
7214.99	00		- - Other:			
7214.99	10		- - - Of iron	5%	kg	676.41
7214.99	90		- - - Of non-alloy steel	10%	kg	676.42
72.15			Other bars and rods of iron or non-alloy steel.			
7215.10	00		- Of free-cutting steel, not further worked than cold-formed or cold-finished	5%	kg	676.43
7215.50	00		- Other, not further worked than cold-formed or cold-finished	5%	kg	676.33
7215.90	00		- Other:			
7215.90	10		- - - Of iron	5%	kg	676.44
7215.90	90		- - - Of non-alloy steel	5%	kg	676.49
72.16			Angles, shapes and sections of iron or non-alloy steel.			
7216.10	00		- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	5%	kg	676.811
7216.20	00		- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:			
7216.21	00		- - L sections	5%	kg	676.812
7216.22	00		- - T sections	5%	kg	676.813
7216.30	00		- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded of a height of less than 80 mm or more:			
7216.31	00		- - U sections	5%	kg	676.821
7216.32	00		- - I sections	5%	kg	676.822
7216.33	00		- - H sections	5%	kg	676.823
7216.40	00		- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more	5%	kg	676.824
7216.50	00		- Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded:			
7216.50	10		- - - Angles, of non-alloy steel	10%	kg	676.831

HS	CET	PR1	DESCRIPTION OF GOODS	DUTY RATE	UNIT	SITC REV 4
7216.50	90		- - - Other	5%	kg	676.839
7216.60	00		- Angles, shapes and sections, not further worked than cold-formed or cold-finished:			
7216.61	00		- - Obtained from flat-rolled products:			
7216.61	10		- - - Angles, of non-alloy steel	10%	kg	676.841
7216.61	90		- - - Other	5%	kg	676.842
7216.69	00		- - Other:			
7216.69	10		- - - Angles, of non-alloy steel	10%	kg	676.843
7216.69	90		- - - Other	5%	kg	676.849
7216.90	00		- Other:			
7216.91	00		- - Cold-formed or cold-finished from flat-rolled products:			
7216.91	10		- - - Angles, of non-alloy steel	10%	kg	676.851
7216.91	90		- - - Other	5%	kg	676.852
7216.99	00		- - Other	5%	kg	676.859
72.17			Wire of iron or non-alloy steel.			
7217.10	00		- Not plated or coated, whether or not polished:			
7217.10	10		- - - Of iron	5%	kg	678.11
7217.10	90		- - - Of non-alloy steel	10%	kg	678.12
7217.20	00		- Plated or coated with zinc	5%	kg	678.13
7217.30	00		- Plated or coated with other base metals	5%	kg	678.14
7217.90	00		- Other	5%	kg	678.19
			III - STAINLESS STEEL			
72.18			Stainless steel in ingots or other primary forms; semi-finished products of stainless steel.			
7218.10	00		- Ingots and other primary forms	5%	kg	672.47
7218.90	00		- Other:			
7218.91	00		- - Of rectangular (other than square) cross-section	Free	kg	672.811
7218.99	00		- - Other	Free	kg	672.819
72.19			Flat-rolled products of stainless steel, of a width of 600 mm or more.			
7219.10	00		- Not further worked than hot-rolled, in coils:			
7219.11	00		- - Of a thickness exceeding 10 mm	5%	kg	675.311
7219.12	00		- - Of a thickness of 4.75 mm or more but not exceeding 10 mm	5%	kg	675.312

HS	CET	PR1	DESCRIPTION OF GOODS	DUTY RATE	UNIT	SITC REV 4
7219.13	00		- - Of a thickness of 3 mm or more but less than 4.75 mm	5%	kg	675.32
7219.14	00		- - Of a thickness of less than 3 mm	5%	kg	675.33
7219.20	00		- Not further worked than hot-rolled, not in coils:			
7219.21	00		- - Of a thickness exceeding 10 mm	5%	kg	675.341
7219.22	00		- - Of a thickness of 4.75 mm or more but not exceeding 10 mm	5%	kg	675.342
7219.23	00		- - Of a thickness of 3 mm or more but less than 4.75 mm	5%	kg	675.35
7219.24	00		- - Of a thickness of less than 3 mm	5%	kg	675.36
7219.30	00		- Not further worked than cold-rolled (cold-reduced):			
7219.31	00		- - Of a thickness of 4.75 mm or more	5%	kg	675.51
7219.32	00		- - Of a thickness of 3 mm or more but less than 4.75 mm	5%	kg	675.52
7219.33	00		- - Of a thickness exceeding 1 mm but less than 3 mm	5%	kg	675.53
7219.34	00		- - Of a thickness of 0.5 mm or more but not exceeding 1 mm	5%	kg	675.54
7219.35	00		- - Of a thickness of less than 0.5 mm	5%	kg	675.55
7219.90	00		- Other	5%	kg	675.71
72.20			Flat-rolled products of stainless steel, of a width of less than 600 mm.			
7220.10	00		- Not further worked than hot-rolled:			
7220.11	00		- - Of a thickness of 4.75 mm or more	5%	kg	675.37
7220.12	00		- - Of a thickness of less than 4.75 mm	5%	kg	675.38
7220.20	00		- Not further worked than cold-rolled (cold-reduced)	5%	kg	675.56
7220.90	00		- Other	5%	kg	675.72
7221.00	00		Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel.	5%	kg	676.15
72.22			Other bars and rods of stainless steel; angles, shapes and sections of stainless steel.			
7222.10	00		- Bars and rods, not further worked than hot-rolled, hot-drawn or extruded:			
7222.11	00		- - Of circular cross-section	5%	kg	676.251
7222.19	00		- - Other	5%	kg	676.259
7222.20	00		- Bars and rods, not further worked than cold-formed or cold-finished	5%	kg	676.51
7222.30	00		- Other bars and rods	5%	kg	676.59
7222.40	00		- Angles, shapes and sections:			
7222.40	10		- - - Angles	5%	kg	676.871
7222.40	20		- - - Shapes and sections	Free	kg	676.872

HS	CET	PR1	DESCRIPTION OF GOODS	DUTY RATE	UNIT	SITC REV 4
7223.00	00		Wire of stainless steel.	5%	kg	678.21
			IV -OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL			
72.24			Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel.			
7224.10	00		- Ingots and other primary forms	5%	kg	672.49
7224.90	00		- Other	5%	kg	672.82
72.25			Flat-rolled products of other alloy steel, of a width of 600 mm or more.			
7225.10	00		- Of silicon-electrical steel:			
7225.11	00		- - Grain-oriented	5%	kg	675.111
7225.19	00		- - Other	5%	kg	675.119
7225.30	00		- Other, not further worked than hot-rolled, in coils	5%	kg	675.41
7225.40	00		- Other, not further worked than hot-rolled, not in coils	5%	kg	675.42
7225.50	00		- Other, not further worked than cold-rolled (cold-reduced)	5%	kg	675.61
7225.90	00		- Other:			
7225.91	00		- - Electrolytically plated or coated with zinc	5%	kg	675.731
7225.92	00		- - Otherwise plated or coated with zinc	5%	kg	675.732
7225.99	00		- - Other	5%	kg	675.733
72.26			Flat-rolled products of other alloy steel, of a width of less than 600 mm.			
7226.10	00		- Of silicon-electrical steel:			
7226.11	00		- - Grain-oriented	5%	kg	675.121
7226.19	00		- - Other	5%	kg	675.129
7226.20	00		- Of high speed steel	5%	kg	675.22
7226.90	00		- Other:			
7226.91	00		- - Not further worked than hot-rolled	5%	kg	675.43
7226.92	00		- - Not further worked than cold-rolled (cold-reduced)	5%	kg	675.62
7226.99	00		- - Other	5%	kg	675.749
72.27			Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel.			
7227.10	00		- Of high speed steel	5%	kg	676.61
7227.20	00		- Of silico-manganese steel	5%	kg	676.62
7227.90	00		- Other	5%	kg	676.69
72.28			Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel.			
7228.10	00		- Bars and rods, of high speed steel	5%	kg	676.71

HS	CET	PR1	DESCRIPTION OF GOODS	DUTY RATE	UNIT	SITC REV 4
7228.20	00		- Bars and rods, of silico-managanese steel	5%	kg	676.72
7228.30	00		- Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded	5%	kg	676.29
7228.40	00		- Other bars and rods, not further worked than forged	5%	kg	676.46
7228.50	00		- Other bars and rods, not further worked than cold-formed or cold-finished	5%	kg	676.39
7228.60	00		- Other bars and rods	5%	kg	676.47
7228.70	00		- Angles, shapes and sections:			
7228.70	10		- - - Angles	5%	kg	676.881
7228.70	20		- - - Shapes and sections	5%	kg	676.882
7228.80	00		- Hollow drill bars and rods	5%	kg	676.48
72.29			Wire of other alloy steel.			
7229.20	00		- Of silico-managanese steel	5%	kg	678.292
7229.90	00		- Other	5%	kg	678.299